Stand: 01.10.2019

Import of plants and plant products from Third countries

Additional declaration on the phytosanitary certificate

VEGETABLES

genus/species	origin	citation of EU-Directive 2000/29/EC or EU-Decision	text of the citation of EU-Directive 2000/29/EC or EU-Decision	notes and harmful organism
Apium graveolens	Third countries	Annex IV A I, 32.2., first indent or Annex IV A I, 32.2, second indent	- The leafy vegetable originates in a country free from <i>Liriomyza sativae</i> and <i>Amauromyza maculosa</i> or - Immediately prior to the export the leafy vegetable has been officially inspected and found free from <i>Liriomyza sativae</i> and <i>Amauromyza maculosa</i>	leafy vegetable/ Liriomyza sativae and Amauromyza maculosa
Capsicum	originating in countries of the African continent, Cape Verde, Saint Helena, Madagascar, La Reunion, Mauritius and Israel	Annex IV A I, 16.6. a) or b) or c) or d)	Official statement that the fruits: (a) originate in a country recognised as being free from <i>Thaumatotibia leucotreta</i> (Meyrick) in accordance with relevant International Standards for Phytosanitary Measures, provided that this freedom status has been communicated in advance in writing by the national plant protection organisation of the third country concerned to the Commission, or (b) originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Thaumatotibia leucotreta</i> (Meyrick), in accordance with the relevant International Standards for Phytosanitary Measures, which is	fruit/ Thaumatotibia leucotreta (Meyrick)

mentioned on the certificates referred to
in Article 13(1)(ii) under the rubric
'Additional declaration', provided that
this freedom status has been
communicated in advance in writing by
the national plant protection
organisation of the third country
concerned to the Commission,
or
(c) originate in a place of production
established by the national plant
protection organisation in the country of
origin as being free from <i>Thaumatotibia</i>
leucotreta (Meyrick) in accordance with
relevant International Standards for
Phytosanitary Measures and information
on traceability is included in the certificates referred to in the Article
13(1)(ii), and official inspections have
been carried out in the place of
production at appropriate times during
the growing season, including a visual
examination on representative samples
of fruit, shown to be free from
Thaumatotibia leucotreta (Meyrick),
or
(d) have been subjected to an effective
cold treatment to ensure freedom from
Thaumatotibia leucotreta (Meyrick) or
another effective treatment to ensure
freedom from Thaumatotibia leucotreta
(Meyrick) and the treatment data should
be indicated on the certificates referred
to in Article 13(1)(ii), provided that the

Capsicum	Belize, Costa Rica, Dominican Republic, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Nicaragua, Panama, Puerto Rico, USA and French Polynesia	Annex IV A I, 36.3. a) or b)	treatment method together with documentary evidence of its effectiveness has been communicated in advance in writing by the national plant protection organisation of the third country concerned to the Commission Official statement that the fruits: (a) originate in an area free from Anthonomus eugenii Cano, established by the national plant protection organisation in accordance with relevant International Standards for Phytosanitary Measures, and which is mentioned on the certificates referred to in Article 13.1 (ii) of this Directive under the rubric "Additional declaration or (b)The fruits originate in a place of production, established in the country of export by the national plant protection organisation in that country, as being free from Anthonomus eugenii Cano, in accordance with relevant International Standards for Phytosanitary Measures, and which is mentioned on the certificates referred to in Article 13.1 (ii) of this Directive under the rubric "Additional declaration", and declared free from Anthonomus eugenii Cano on	fruit/ Anthonomus eugenii

Capsicum	Third countries, other than Switzerland	Commission Implementing Decision (EU) 2018/638; Article 4 (a) or (b) or (c) or (d) or (e) In the case of points (c) and (d) of Article 4, the phytosanitary certificate shall also indicate the information ensuring traceability, indicated under point (c)(iv); This Decision shall apply until 30 June 2021.	The appropriate point shall be indicated in the phytosanitary certificate under the rubric 'Additional Declaration'. The fruits of <i>Capsicum</i> shall fulfil the requirements set out in one of the following points: (a) The fruits originate in a third country where <i>Spodoptera frugiperda</i> is not known to be present; or (b) the fruits originate in an area free from <i>Spodoptera frugiperda</i> , as established by the national plant protection organisation concerned, in accordance with the relevant International Standards for Phytosanitary Measures; the name of that area shall be stated in the phytosanitary certificate under the rubric 'place of origin'; or (c) the fruits originate in areas other than those referred to in points (a) and (b), and they comply with the following conditions: (i) the fruits have been produced in a production site which is registered and supervised by the national plant protection organisation in the country of origin; (ii) official inspections have been carried out in the production site during the three months prior to export, and no presence of <i>Spodoptera frugiperda</i> has been detected on the fruits; (iii) prior to their export, the fruits of	fruit/Spodoptera frugiperda
----------	---	---	---	--------------------------------

			Capsicum have been subject to an official inspection and found free from Spodoptera frugiperda; (iv) information ensuring the traceability of the fruits of Capsicum to their site of production has been ensured during their movement prior to export; (v) the fruits of Capsicum have been produced in a production site which is provided with complete physical protection against the introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or (e) they originate in areas other than those referred to in points (a) and (b), and they have been subjected to an effective post-harvest treatment to ensure freedom from Spodoptera frugiperda, and the treatment is indicated on the phytosanitary	
Eryngium	Non-European countries	Annex IV A I, 45.2., first	certificate. - The cut flowers originate in a country	parts of plants for
		indent or	free from Bemisia tabaci (non-european	consumtion/ <i>Bemisia</i> tabaci (non-european
		Annex IV A I, 45.2., second	populations) or	populations)
		indent	- Immediately prior to the export the cut	,
			flowers have	
			been officially inspected and found free	
			from Bemisia tabaci (non-european	

			populations)	
Momordica	Third countries	Annex IV A I, 36.2., first indent or Annex IV A I, 36.2., second indent	- The fruits originate in a country free from <i>Thrips palmi</i> or - Immediately prior to their export the fruits have been officially inspected and found free from <i>Thrips palmi</i>	fruit/ Thrips palmi
Momordica	Third countries	Commission Implementing Decision (EU) 2018/638; Article 4 (a) or (b) or (c) or (d) or (e) In the case of points (c) and (d) of Article 4, the phytosanitary certificate shall also indicate the information ensuring traceability, indicated under point (c)(iv); This Decision shall apply until 30 June 2021.	The appropriate point shall be indicated in the phytosanitary certificate under the rubric 'Additional Declaration'. The fruits of <i>Momordica</i> shall fulfil the requirements set out in one of the following points: (a) they originate in a third country where the specified organism is not known to be present; or (b) they originate in an area free from the specified organism, as established by the national plant protection organisation concerned, in accordance with the relevant International Standards for Phytosanitary Measures; the name of that area shall be stated in the phytosanitary certificate under the rubric 'place of origin'; or (c) they originate in areas other than those referred to in points (a) and (b), and they comply with the following conditions: (i) the specified plants have been	fruit/Spodoptera frugiperda

produced in a production site which is
registered and supervised by the national
plant protection organisation in the
country of origin;
(ii) official inspections have been
carried out in the production site during
the three months prior to export, and no
presence of the specified organism has
been detected on the specified plants;
(iii) prior to their export, the specified
plants have been subject to an official
inspection and found free from the
specified organism;
(iv) information ensuring the traceability
of the specified plants to their site of
production has been ensured during their
movement prior to export;
(v) the specified plants have been
produced in a production site which is
provided with complete physical
protection against the introduction of the
specified organism; or
(d) they originate in areas other than
those referred to in points (a) and (b),
and they comply with points (c)(i to iv)
and have been subjected to an effective
treatment to ensure freedom from the
specified organism; or
(e) they originate in areas other than
those referred to in points (a) and (b),
and they have been subjected to an
effective post-harvest treatment to
ensure freedom from the specified
organism, and the treatment is indicated
organism, and the treatment is indicated

			on the phytosanitary certificate.	
Ocimum	Third countries	Annex IV A I, 32.2., first indent or Annex IV A I, 32.2., second indent	- The leafy vegetable originates in a country free from Liriomyza sativae and Amauromyza maculosa or - Immediately prior to the export the leafy vegetable has been officially inspected and found free from Liriomyza sativae and Amauromyza maculosa	leafy vegetables/ Liriomyza sativae and Amauromyza maculosa
Ocimum	Non-European countries	Annex IV A I, 45.2., first indent or Annex IV A I, 45.2., second indent	- The leafy vegetable originates in a country free from <i>Bemisia tabaci</i> (non-european populations) or - Immediately prior to the export the leafy vegetable has been officially inspected and found free from <i>Bemisia tabaci</i> (non-european populations)	leafy vegetables/ Bemisia tabaci (non- european populations)
Solanaceae	originating in Australia, the Americas and New Zealand	Annex IV A I, 25.7.4. a) or b) or c) or d)	Official statement that the fruits: (a) originate in a country recognised as being free from <i>Bactericera cockerelli</i> (Sulc.) in accordance with relevant International Standards for Phytosanitary Measures, provided that this freedom status has been communicated in advance in writing by the national plant protection organisation of the third country concerned to the Commission, or (b) originate in an area established by the national plant protection	fruit/ Bactericera cockerelli (Sulc.)

organisation in the country of origin as
being free from Bactericera cockerelli
(Sulc.) in accordance with the relevant
International Standards for
Phytosanitary Measures, which is
mentioned on the certificates referred to
in Article 13(1)(ii) under the rubric
'Additional declaration', provided that
this freedom status has been
communicated in advance in writing by
the national plant protection
organisation of the third country
concerned to the Commission,
or
(c) originate in a place of production,
where official inspections and surveys
for the presence of <i>Bactericera</i>
cockerelli (Sulc.) including its
immediate vicinity are carried out
during the last three months prior to
export and subject to effective
treatments to ensure freedom from the
harmful organism, and representative
samples of the fruit have been inspected
prior to export, and information on
traceability is included in the certificates
referred to in Article 13(1)(ii)
or
(d) originate in an insect proof site of
production, established by the national
plant protection organisation in the
country of origin, as being free from
Bactericera cockerelli (Sulc.), on the
basis of official inspections and surveys

Solanum aethiopicum	Third countries, other than Switzerland	Commission Implementing Decision (EU) 2018/638; Article 4 (a) or (b) or (c) or (d) or (e) In the case of points (c) and (d) of Article 4, the phytosanitary certificate shall also indicate the information ensuring traceability, indicated under point (c)(iv); This Decision shall apply until 30 June 2021.	carried out during the three months prior to export, and information on traceability is included in the certificates referred to in Article 13(1)(ii). The appropriate point shall be indicated in the phytosanitary certificate under the rubric 'Additional Declaration'. The fruits of Solanum aethiopicum shall fulfil the requirements set out in one of the following points: (a) The fruits originate in a third country where Spodoptera frugiperda is not known to be present; or (b) the fruits originate in an area free from Spodoptera frugiperda, as established by the national plant protection organisation concerned, in accordance with the relevant International Standards for Phytosanitary Measures; the name of that area shall be stated in the phytosanitary certificate under the rubric 'place of origin'; or (c) the fruits originate in areas other than those referred to in points (a) and (b), and they comply with the following	fruit/Spodoptera frugiperda
			(c) the fruits originate in areas other than those referred to in points (a) and (b),	

			the three months prior to export, and no presence of <i>Spodoptera frugiperda</i> has been detected on the fruits; (iii) prior to their export, the fruits of <i>Solanum aethiopicum</i> have been subject to an official inspection and found free from <i>Spodoptera frugiperda</i> ; (iv) information ensuring the traceability of the fruits of <i>Capsicum</i> to their site of production has been ensured during their movement prior to export; (v) the fruits of <i>Solanum aethiopicum</i> have been produced in a production site which is provided with complete physical protection against the introduction of <i>Spodoptera frugiperda</i> ; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from <i>Spodoptera frugiperda</i> ; or (e) they originate in areas other than those referred to in points (a) and (b), and they have been subjected to an effective post-harvest treatment to ensure freedom from <i>Spodoptera frugiperda</i> , and the treatment is indicated on the phytosanitary certificate.	
Solanum lycopersicum	Third countries	Annex IV A I, 25.7.2. (a) or (b) or (c)	Official statement that the fruits: (a) originate in a country recognised as being free of <i>Keiferia lycopersicella</i>	fruit/Keiferia lycopersicella

			(Walsingham) in accordance with relevant International Standards for Phytosanitary Measures, or (b) originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Keiferia lycopersicella</i> (Walsingham) in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the certificates referred to in Article 13(1)(ii) under the rubric 'Additional declaration', or (c) originate in a place of production, established by the national plant protection organisation in the country of origin as being free from <i>Keiferia lycopersicella</i> (Walsingham), on the basis of official inspections and surveys carried out during the last three months prior to export, which is mentioned on the certificates referred to in Article 13(1)(ii) under the rubric 'Additional declaration'.'	
Solanum lycopersicum L.	Third countries	Annex IV A I, 25.7.3. a) or b) or c) or d)	Official statement that the fruits: (a) originate in a country recognised as being free from <i>Neoleucinodes</i> elegantalis (Guenée) in accordance with relevant International Standards for Phytosanitary Measures, provided that this freedom status has been communicated in advance in writing by the national plant protection	fruit/ Neoleucinodes elegantalis (Guenée)

	organisation of the third country
	concerned to the Commission,
	or
	(b) originate in an area established by
	the national plant protection
	organisation in the country of origin as
	being free from Neoleucinodes
	elegantalis (Guenée) in accordance with
	the relevant International Standards for
	Phytosanitary Measures, which is
	mentioned on the certificates referred to
	in Article 13(1)(ii) under the rubric
	'Additional declaration', provided that
	this freedom status has been
	communicated in advance in writing by
	the national plant protection
	organisation of the third country
	concerned to the Commission,
	or
	(c) originate in a place of production
	established by the national plant
	protection organisation in the country of
	origin as being free from of
	Neoleucinodes elegantalis (Guenée) in
	accordance with relevant International
	Standards for Phytosanitary Measures
	and official inspections have been
	carried out in the place of production at
	appropriate times during the growing
	season, including an examination on
	representative samples of fruit, shown to
	be free from Neoleucinodes elegantalis
	(Guenée), and information on
	traceability is included in the certificates

			referred to in Article 13(1)(ii), or (d) originate in an insect proof site of production, established by the national plant protection organisation in the country of origin as being free from <i>Neoleucinodes elegantalis</i> (Guenée), on the basis of official inspections and surveys carried out during the three months prior to export, and information on traceability is included in the certificates referred to in Article 13(1)(ii).	
Solanum macrocarpon	Third countries, other than Switzerland	Commission Implementing Decision (EU) 2018/638; Article 4 (a) or (b) or (c) or (d) or (e) In the case of points (c) and (d) of Article 4, the phytosanitary certificate shall also indicate the information ensuring traceability, indicated under point (c)(iv); This Decision shall apply until 30 June 2021.	The appropriate point shall be indicated in the phytosanitary certificate under the rubric 'Additional Declaration'. The fruits of <i>Solanum macrocarpon</i> shall fulfil the requirements set out in one of the following points: (a) The fruits originate in a third country where <i>Spodoptera frugiperda</i> is not known to be present; or (b) the fruits originate in an area free from <i>Spodoptera frugiperda</i> , as established by the national plant protection organisation concerned, in accordance with the relevant International Standards for Phytosanitary Measures; the name of that area shall be stated in the phytosanitary certificate under the rubric 'place of origin'; or (c) the fruits originate in areas other than	fruit/Spodoptera frugiperda

those referred to in points (a) and (b), and they comply with the following conditions: (i) the fruits have been produced in a production site which is registered and supervised by the national plant protection organisation in the country of origin; (ii) official inspections have been earried out in the production site during the three months prior to export, and no presence of Spodopera Insigheral has been detected on the fruits; (iii) prior to their export, the fruits of Solamum macrocarpon have been subject to an official inspection and found free from Spodopera Insigherala; (iv) information ensuring the traceability of the fruits of Capsicum to their site of production has been ensured during their movement prior to export; (v) the fruits of Capsicum to their site of production has been ensured during their movement prior to export; (v) the fruits of Solamum macrocarpon have been produced in a production site which is provided with complete physical protection against the introduction of Spodoptera Insigherala; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera Insigherala; or (e) the voriginate in areas other than	
conditions: (i) the fruits have been produced in a production site which is registered and supervised by the national plant protection organisation in the country of origin; (ii) official inspections have been carried out in the production site during the three months prior to export, and no presence of Spodopnera fragiperda has been detected on the fruits; (iii) prior to their export, the fruits of Solanum macrocarpon have been subject to an official inspection and found free from Spodoprera fragiperda; (iv) information ensuring the traceability of the fruits of Capsicum to their site of production has been ensured during their movement prior to export; (v) the fruits of Solanum macrocarpon have been produced in a production site which is provided with complete physical protection against the introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	those referred to in points (a) and (b),
(i) the fruits have been produced in a production site which is registered and supervised by the national plant protection organisation in the country of origin; (ii) official inspections have been carried out in the production site during the three months prior to export, and no presence of Spodoptera frugiperda has been detected on the fruits; (iii) prior to their export, the fruits of Solanum macrocarpon have been subject to an official inspection and found free from Spodoptera frugiperda; (iv) information ensuring the traceability of the fruits of Capsicum to their site of production has been ensured during their movement prior to export; (v) the fruits of Solanum macrocarpon have been produced in a production site which is provided with complete physical protection against the introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(t io iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	and they comply with the following
production site which is registered and supervised by the national plant protection organisation in the country of origin; (ii) official inspections have been carried out in the production site during the three months prior to export, and no presence of Spodoptera frugiperda has been elected on the fruits; (iii) prior to their export, the fruits of Solanum macrocarpon have been subject to an official inspection and found free from Spodoptera frugiperda; (iv) information ensuring the traceability of the fruits of Capsicum to their site of production has been ensured during their movement prior to export; (v) the fruits of Solanum macrocarpon have been produced in a production site which is provided with complete physical protection against the introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	conditions:
supervised by the national plant protection organisation in the country of origin; (ii) official inspections have been carried out in the production site during the three months prior to export, and no presence of Spodoptera frugiperda has been detected on the fruits; (iii) prior to their export, the fruits of Solanum macrocarpon have been subject to an official inspection and found free from Spodoptera frugiperda; (iv) information ensuring the traceability of the fruits of Capsicam to their site of production has been ensured during their movement prior to export; (v) the fruits of Solanum macrocarpon have been production has been ensured during their movement prior to export; (v) the fruits of Solanum macrocarpon have been producted in a production site which is provided with complete physical protection against the introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	(i) the fruits have been produced in a
supervised by the national plant protection organisation in the country of origin; (ii) official inspections have been carried out in the production site during the three months prior to export, and no presence of Spodoptera frugiperda has been detected on the fruits; (iii) prior to their export, the fruits of Solanum macrocarpon have been subject to an official inspection and found free from Spodoptera frugiperda; (iv) information ensuring the traceability of the fruits of Capsicium to their site of production has been ensured during their movement prior to export; (v) the fruits of Solanum macrocarpon have been production has been ensured during their movement prior to export; (v) the fruits of Solanum macrocarpon have been production site which is provided with complete physical protection against the introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(t to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	production site which is registered and
protection organisation in the country of origin; (ii) official inspections have been carried out in the production site during the three months prior to export, and no presence of Spodoptera frugiperda has been detected on the fruits; (iii) prior to their export, the fruits of Solanum macrocarpon have been subject to an official inspection and found free from Spodoptera frugiperda; (iv) information ensuring the traceability of the fruits of Capsicum to their site of production has been ensured during their movement prior to export; (v) the fruits of Solanum macrocarpon have been produced in a production site which is provided with complete physical protection against the introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(t to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	
origin; (ii) official inspections have been carried out in the production site during the three months prior to export, and no presence of Spodoptera frugiperda has been detected on the fruits; (iii) prior to their export, the fruits of Solamm macrocarpon have been subject to an official inspection and found free from Spodoptera frugiperda; (iv) information ensuring the traceability of the fruits of Capsicum to their site of production has been ensured during their movement prior to export; (v) the fruits of Solanum macrocarpon have been produced in a production site which is provided with complete physical protection against the introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	
(ii) official inspections have been earried out in the production site during the three months prior to export, and no presence of Spodoptera frugiperda has been detected on the fruits; (iii) prior to their export, the fruits of Solanum macrocarpon have been subject to an official inspection and found free from Spodoptera frugiperda; (iv) information ensuring the traceability of the fruits of Capsicum to their site of production has been ensured during their movement prior to export; (v) the fruits of Solanum macrocarpon have been production site which is provided with complete physical protection against the introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	
carried out in the production site during the three months prior to export, and no presence of Spodoptera frugiperda has been detected on the fruits; (iii) prior to their export, the fruits of Solanum macrocarpon have been subject to an official inspection and found free from Spodoptera frugiperda; (iv) information ensuring the traceability of the fruits of Capsicum to their site of production has been ensured during their movement prior to export; (v) the fruits of Solanum macrocarpon have been produced in a production site which is provided with complete physical protection against the introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperdar; or	
the three months prior to export, and no presence of Spodoptera frugiperda has been detected on the fruits; (iii) prior to their export, the fruits of Solanum macrocarpon have been subject to an official inspection and found free from Spodoptera frugiperda; (iv) information ensuring the traceability of the fruits of Capsicum to their site of production has been ensured during their movement prior to export; (v) the fruits of Solanum macrocarpon have been produced in a production site which is provided with complete physical protection against the introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	
presence of Spodoptera frugiperda has been detected on the fruits; (iii) prior to their export, the fruits of Solanum macrocarpon have been subject to an official inspection and found free from Spodoptera frugiperda; (iv) information ensuring the traceability of the fruits of Capsicum to their site of production has been ensured during their movement prior to export; (v) the fruits of Solanum macrocarpon have been produced in a production site which is provided with complete physical protection against the introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	
been detected on the fruits; (iii) prior to their export, the fruits of Solanum macrocarpon have been subject to an official inspection and found free from Spodoptera frugiperda; (iv) information ensuring the traceability of the fruits of Capsicum to their site of production has been ensured during their movement prior to export; (v) the fruits of Solanum macrocarpon have been produced in a production site which is provided with complete physical protection against the introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda, or	
(iii) prior to their export, the fruits of Solanum macrocarpon have been subject to an official inspection and found free from Spodoptera frugiperda; (iv) information ensuring the traceability of the fruits of Capsicum to their site of production has been ensured during their movement prior to export; (v) the fruits of Solanum macrocarpon have been produced in a production site which is provided with complete physical protection against the introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	
Solanum macrocarpon have been subject to an official inspection and found free from Spodoptera frugiperda; (iv) information ensuring the traceability of the fruits of Capsicum to their site of production has been ensured during their movement prior to export; (v) the fruits of Solanum macrocarpon have been produced in a production site which is provided with complete physical protection against the introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	
subject to an official inspection and found free from Spodoptera frugiperda; (iv) information ensuring the traceability of the fruits of Capsicum to their site of production has been ensured during their movement prior to export; (v) the fruits of Solanum macrocarpon have been produced in a production site which is provided with complete physical protection against the introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(it oiv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	
found free from Spodoptera frugiperda; (iv) information ensuring the traceability of the fruits of Capsicum to their site of production has been ensured during their movement prior to export; (v) the fruits of Solanum macrocarpon have been produced in a production site which is provided with complete physical protection against the introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	
(iv) information ensuring the traceability of the fruits of Capsicum to their site of production has been ensured during their movement prior to export; (v) the fruits of Solanum macrocarpon have been produced in a production site which is provided with complete physical protection against the introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	
of the fruits of Capsicum to their site of production has been ensured during their movement prior to export; (v) the fruits of Solanum macrocarpon have been produced in a production site which is provided with complete physical protection against the introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	
production has been ensured during their movement prior to export; (v) the fruits of Solanum macrocarpon have been produced in a production site which is provided with complete physical protection against the introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	
movement prior to export; (v) the fruits of Solanum macrocarpon have been produced in a production site which is provided with complete physical protection against the introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	
(v) the fruits of Solanum macrocarpon have been produced in a production site which is provided with complete physical protection against the introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	
have been produced in a production site which is provided with complete physical protection against the introduction of <i>Spodoptera frugiperda</i> ; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from <i>Spodoptera frugiperda</i> ; or	
which is provided with complete physical protection against the introduction of <i>Spodoptera frugiperda</i> ; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from <i>Spodoptera frugiperda</i> ; or	
physical protection against the introduction of <i>Spodoptera frugiperda</i> ; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from <i>Spodoptera frugiperda</i> ; or	
introduction of Spodoptera frugiperda; or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	
or (d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	
(d) they originate in areas other than those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	introduction of Spodoptera frugiperda;
those referred to in points (a) and (b), and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	
and they comply with points (c)(i to iv) and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	
and have been subjected to an effective treatment to ensure freedom from Spodoptera frugiperda; or	1 1/
treatment to ensure freedom from Spodoptera frugiperda; or	
Spodoptera frugiperda; or	
(e) they originate in areas other than	Spodoptera frugiperda; or
(*) 5	(e) they originate in areas other than

			those referred to in points (a) and (b), and they have been subjected to an effective post-harvest treatment to ensure freedom from <i>Spodoptera frugiperda</i> , and the treatment is indicated on the phytosanitary certificate.	
Solanum melongena	Third countries	Annex IV A I, 36.2., first indent or Annex IV A I, 36.2., second indent	 The fruits originate in a country free from <i>Thrips palmi</i> or Immediately prior to their export the fruits have been officially inspected and found free from <i>Thrips palmi</i> 	fruit/Thrips palmi
Solanum melongena	Third countries	Annex IV A I, 25.7.2. (a) or (b) or (c)	Official statement that the fruits: (a) originate in a country recognised as being free of <i>Keiferia lycopersicella</i> (Walsingham) in accordance with relevant International Standards for Phytosanitary Measures, or (b) originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Keiferia lycopersicella</i> (Walsingham) in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the certificates referred to in Article 13(1)(ii) under the rubric 'Additional declaration', or (c) originate in a place of production, established by the national plant protection organisation in the country of origin as being free from <i>Keiferia lycopersicella</i> (Walsingham), on the	fruit/Keiferia lycopersicella

			basis of official inspections and surveys carried out during the last three months prior to export, which is mentioned on the certificates referred to in Article 13(1)(ii) under the rubric 'Additional declaration'.	C : (G)
Solanum melongena	Third countries, other than Switzerland	Commission Implementing Decision (EU) 2018/638; Article 4 (a) or (b) or (c) or (d) or (e) In the case of points (c) and (d) of Article 4, the phytosanitary certificate shall also indicate the information ensuring traceability, indicated under point (c)(iv); This Decision shall apply until 30 June 2021.	The appropriate point shall be indicated in the phytosanitary certificate under the rubric 'Additional Declaration'. The fruits of Solanum melongena shall fulfil the requirements set out in one of the following points: (a) The fruits originate in a third country where Spodoptera melongena is not known to be present; or (b) the fruits originate in an area free from Spodoptera frugiperda, as established by the national plant protection organisation concerned, in accordance with the relevant International Standards for Phytosanitary Measures; the name of that area shall be stated in the phytosanitary certificate under the rubric 'place of origin'; or (c) the fruits originate in areas other than those referred to in points (a) and (b), and they comply with the following conditions: (i) the fruits have been produced in a production site which is registered and supervised by the national plant protection organisation in the country of origin;	fruit/Spodoptera frugiperda

(ii) official inspections have been
carried out in the production site during
the three months prior to export, and no
presence of Spodoptera frugiperda has
been detected on the fruits;
(iii) prior to their export, the fruits of
Solanum melongena have been subject
to an official inspection and found free
from Spodoptera frugiperda;
(iv) information ensuring the traceability
of the fruits of <i>Capsicum</i> to their site of
production has been ensured during their
movement prior to export;
(v) the fruits of Solanum melongena
have been produced in a production site
which is provided with complete
physical protection against the
introduction of Spodoptera frugiperda;
or (d) they originate in areas other than
those referred to in points (a) and (b),
1 1/
and they comply with points (c)(i to iv)
and have been subjected to an effective
treatment to ensure freedom from
Spodoptera frugiperda; or
(e) they originate in areas other than
those referred to in points (a) and (b),
and they have been subjected to an
effective post-harvest treatment to
ensure freedom from Spodoptera
frugiperda, and the treatment is
indicated on the phytosanitary
certificate.

Zea mays	Third countries, other than	Commission Implementing	The appropriate point shall be indicated	fruit/Spodoptera
•	Switzerland	Decision (EU) 2018/638;	in the phytosanitary certificate under the	frugiperda
		Article 4 (a) or (b) or (c) or	rubric 'Additional Declaration'.	
		(d) or (e)	The fruits of Zea mays shall fulfil the	
		In the case of points (c) and (d)	requirements set out in one of the	
		of Article 4, the phytosanitary	following points:	
		certificate shall also indicate	(a) The fruits originate in a third country	
		the information ensuring	where Spodoptera melongena is not	
		traceability, indicated under	known to be present; or	
		point (c)(iv);	(b) the fruits originate in an area free	
		This Decision shall apply until 30	from Spodoptera frugiperda, as	
		June 2021.	established by the national plant	
			protection organisation concerned, in	
			accordance with the relevant	
			International Standards for	
			Phytosanitary Measures; the name of	
			that area shall be stated in the	
			phytosanitary certificate under the rubric	
			'place of origin'; or	
			(c) the fruits originate in areas other than	
			those referred to in points (a) and (b),	
			and they comply with the following	
			conditions:	
			(i) the fruits have been produced in a	
			production site which is registered and	
			supervised by the national plant	
			protection organisation in the country of	
			origin;	
			(ii) official inspections have been	
			carried out in the production site during	
			the three months prior to export, and no	
			presence of Spodoptera frugiperda has	
			been detected on the fruits;	
			(iii) prior to their export, the fruits of	

	have been subject to an official
	inspection and found free from
	Spodoptera frugiperda;
	(iv) information ensuring the traceability
	of the fruits of Zea mays to their site of
	production has been ensured during their
	movement prior to export;
	(v) the fruits of Zea mays have been
	produced in a production site which is
	provided with complete physical
	protection against the introduction of
	Spodoptera frugiperda; or
	(d) they originate in areas other than
	those referred to in points (a) and (b),
	and they comply with points (c)(i to iv)
	and have been subjected to an effective
	treatment to ensure freedom from
	Spodoptera frugiperda; or
	(e) they originate in areas other than
	those referred to in points (a) and (b),
	and they have been subjected to an
	effective post-harvest treatment to
	ensure freedom from Spodoptera
	frugiperda, and the treatment is
	indicated on the phytosanitary
	certificate.
In case of treatment, this has to be specified in the rubricdis	sinfactation an/ar disinfaction treatment"

In case of treatment, this has to be specified in the rubric "disinfestation an/or disinfection treatment".