

Import prohibitions of plants, plant products and other objects  
from third countries (as of 01.12.2024)

plants and parts of plants	CN-Code and country of origin	
1. Deciduous trees and shrubs, intended for planting, other than seeds and plants in tissue culture, other than dormant plants free from leaves, flowers and fruit (Please see also the following import prohibitions)	ex 0602 10 90	Third countries other than: Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Faeroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug), San Marino, Serbia, Switzerland, Turkey, Ukraine and United Kingdom (other than Northern Ireland))
	ex 0602 20 20	
	ex 0602 20 80	
	ex 0602 30 00	
	ex 0602 40 00	
	ex 0602 90 41	
	ex 0602 90 45	
	ex 0602 90 46	
	ex 0602 90 48	
	ex 0602 90 50	
	ex 0602 90 70	
	ex 0602 90 91	
	ex 0602 90 99	

<p>2. All plants attached to or associated with soil and/or organic growing medium</p> <p>Exception: the attached or associated soil and/or organic growing medium, is removed to the extent solely sustaining the vitality of the plants and sterile medium of in-vitro plants</p>		<p>Third countries other than Liechtenstein and Switzerland</p>
<p>3. Following High Risk Plants (according to <u>Commission Implementing Regulation (EU) 2018/2019</u> in conjunction with Article 42(1) Regulation (EU) 2016/2031)</p> <p>Plants of <i>Acacia</i>, <i>Acer</i>, <i>Albizia</i>, <i>Alnus</i>, <i>Annona</i>, <i>Bauhinia</i>, <i>Berberis</i>, <i>Betula</i>, <i>Caesalpinia</i>, <i>Cassia</i>, <i>Castanea</i>, <i>Cornus</i>, <i>Corylus</i>, <i>Crataegus</i>, <i>Diospyros</i>, <i>Fagus</i>, <i>Ficus carica</i>, <i>Fraxinus</i>, <i>Hamamelis</i>, <i>Jasminum</i>, <i>Juglans</i>, <i>Ligustrum</i>, <i>Lonicera</i>, <i>Malus</i>, <i>Nerium</i>, <i>Persea</i>, <i>Populus</i>, <i>Prunus</i>, <i>Quercus</i>, <i>Robinia</i>, <i>Salix</i>, <i>Sorbus</i>, <i>Taxus</i>, <i>Tilia</i>, <i>Ulmus</i> for planting,</p> <p>other than:</p> <ul style="list-style-type: none"> <li>— one-to three-year-old bare rooted, dormant, free of leaves, grafted or budded plants for planting of <i>Acer japonicum</i> Thunberg, <i>Acer palmatum</i> Thunberg, and <i>Acer shirasawanum</i> Koidzumi, originating in New Zealand;</li> <li>— up to fifteen-year-old plants for planting of <i>Acer campestre</i> with a maximum diameter of 88 mm at the base of the stem, originating in the United Kingdom;</li> <li>— up to seven-year-old plants for planting of <i>Acer palmatum</i> with a maximum diameter of 40 mm at the base of the stem, originating in the United Kingdom;</li> <li>— up to seven-year-old plants for planting of <i>Acer platanoides</i> with a maximum diameter of 40 mm at the base</li> </ul>	<p>ex 0602</p>	<p>Third countries other than Liechtenstein and Switzerland</p>

<p>of the stem, originating in the United Kingdom;</p> <ul style="list-style-type: none"> <li>— up to seven-year-old plants for planting of <i>Acer pseudoplatanus</i> with a maximum diameter of 88 mm at the base of the stem, originating in the United Kingdom</li> <li>— <i>Albizia</i> Durazz., other than bare-rooted dormant grafted plants for planting with a maximum diameter of 2,5 cm of <i>Albizia julibrissin</i> Durazzini originating in Israel</li> <li>— up to three-year-old plants for planting of <i>Berberis thunbergii</i> in growing medium, with a maximum height of 40 cm, originating in Türkiye</li> <li>— plants for planting of <i>Corylus avellana</i> L. or <i>Corylus colurna</i> L. originating in Serbia</li> <li>— up to 15-year-old plants for planting of <i>Corylus avellana</i> L., with a maximum diameter of 20 cm at the base of the stem, originating in the United Kingdom</li> <li>— up to 15-year-old plants for planting of <i>Crataegus monogyna</i> with a maximum diameter of 13 cm at the base of the stem, originating in the United Kingdom</li> <li>— up to fifteen-year-old plants for planting of <i>Fagus sylvatica</i> with a maximum diameter of 80 mm at the base of the stem, originating in the United Kingdom</li> <li>— bare-rooted, dormant, without leaves, one-year-old plants for planting with a maximum diameter of 2 cm at the base of the stem of <i>Ficus carica</i> L. originating in Israel</li> <li>— one-year-old rooted cuttings without leaves of plants for planting with growing medium and with a maximum diameter of 1 cm at the base of the stem of <i>Ficus carica</i> originating in Israel</li> </ul>		
--	--	--

<p>—unrooted cuttings of plants for planting of <i>Jasminum polyanthum</i> Franchet originating in Israel and Uganda'</p> <p>—up to two-year-old plants for planting of <i>Juglans regia</i> L. which are bare-rooted, free of leaves and with a maximum diameter of 2 cm at the base of the stem, originating in Turkey</p> <p>—up to two-year-old, bare-rooted, dormant, free of leaves, grafted plants for planting and rootstocks of <i>Juglans regia</i> L. originating in Moldova</p> <p>— up to 20-year-old plants for planting of <i>Ligustrum delavayanum</i> and <i>Ligustrum japonicum</i> in growing medium, with a maximum diameter of 18 cm at the base of the stem, originating in the United Kingdom</p> <p>— up to 7-year-old non-grafted plants for planting of <i>Ligustrum ovalifolium</i> and <i>Ligustrum vulgare</i>, with a maximum diameter of 40 mm at the base of the stem, originating in the United Kingdom</p> <p>—up to four-year-old rooted plants for planting in growing medium of <i>Lonicera x bella</i>, <i>Lonicera caprifolium</i>, <i>Lonicera caucasica</i>, <i>Lonicera etrusca</i>, <i>Lonicera fragrantissima</i>, <i>Lonicera hellenica</i>, <i>Lonicera ligustrina</i>, <i>Lonicera sempervirens</i> and <i>Lonicera tatarica</i>, originating in Turkey</p> <p>—one- to two-year-old bare rooted, dormant, free of leaves, grafted plants for planting of <i>Malus domestica</i>, originating in Serbia</p> <p>—up to three-year-old bare-rooted, dormant, free of leaves, grafted plants for planting of <i>Malus domestica</i>, originating in Moldova;</p> <p>—up to three-year old bare-rooted, dormant, free of leaves, grafted plants for</p>		
--	--	--

<p>planting of <i>Malus domestica</i> originating in Ukraine;</p> <p>—up to seven-year-old plants for planting of <i>Malus domestica</i> originating in the United Kingdom;</p> <p>—up to seven-year-old plants for planting of <i>Malus sylvestris</i> with a maximum diameter of 40 mm at the base of the stem, originating in the United Kingdom;</p> <p>—up to two-year-old bare-rooted, dormant, free of leaves, grafted, plants for planting of <i>Malus domestica</i>, originating in Bosnia and Herzegovina;</p> <p>—up to one-year-old, free of leaves, budwood and scions of <i>Malus domestica</i> originating in Türkiye;</p> <p>—plants for planting of <i>Malus domestica</i> that are bare-rooted, dormant, free of leaves and with a maximum stem diameter of 3 cm, originating in Türkiye.</p> <p>—up to four year old plants for planting of <i>Nerium oleander</i> originating in Turkey</p> <p>—rooted, withleaves, grafted plants for planting withgrowing medium and a maximum diameter of 1 cm at the base of the stem of <i>Persea americana</i> Mill., originating in Israel</p> <p>—unrooted cuttings of plants for planting with a maximum diameter of 2 cm of <i>Persea americana</i> Mill., originating in Israel</p> <p>—bare-rooted, dormant, free of leaves plants for planting of <i>Prunus domestica</i> grafted on <i>Prunus cerasifera</i> rootstocks originating in Ukraine</p> <p>— up to 2-year-old dormant, free of leaves, unrooted cuttings of <i>Prunus persica</i> and <i>Prunus dulcis</i>, originating in Türkiye</p>		
---	--	--

<p>— up to 2-year-old bare-rooted, dormant, free of leaves plants for planting of <i>Prunus persica</i>, <i>Prunus dulcis</i>, <i>Prunus armeniaca</i> and <i>Prunus davidiana</i>, originating in Türkiye</p> <p>— up to 2-year-old bare-rooted, free of leaves, plants for planting of <i>Prunus armeniaca</i>, <i>Prunus avium</i>, <i>Prunus canescens</i>, <i>Prunus cerasifera</i>, <i>Prunus cerasus</i>, <i>Prunus davidiana</i>, <i>Prunus domestica</i>, <i>Prunus dulcis</i>, <i>Prunus fontanesiana</i>, <i>Prunus persica</i>, <i>Prunus salicina</i>, <i>Prunus tomentosa</i> and hybrids between the above species, with a maximum diameter of 17 mm at the base of the stem, originating in Moldova</p> <p>— plants for planting of <i>Prunus avium</i>, <i>Prunus canescens</i>, <i>Prunus cerasus</i> and <i>Prunus pseudocerasus</i> originating in the United Kingdom</p> <p>— up to 1-year-old budwood/graftwood of <i>Prunus spinosa</i> with a maximum diameter of 12 mm originating in the United Kingdom</p> <p>— up to 7-year-old non-grafted plants for planting of <i>Prunus spinosa</i> with a maximum diameter of 40 mm at the base of the stem, originating in the United Kingdom</p> <p>— up to fifteen-year-old plants for planting of <i>Quercus petraea</i> with a maximum diameter of 80 mm at the base of the stem, originating in the United Kingdom;</p> <p>— up to fifteen-year-old plants for planting of <i>Quercus robur</i> with a maximum diameter of 80 mm at the base of the stem, originating in the United Kingdom.</p> <p>—bare rooted dormant grafted plants for planting with a maximum diameter of 2,5</p>		
---	--	--

<p>cm of <i>Robinia pseudoacacia</i> L. originating in Israel</p> <p>—up to seven-year-old plants for planting of <i>Robinia pseudoacacia</i> L. with a maximum diameter of 25 cm, originating in Turkey</p> <p>—bare rooted dormant grafted plants for planting with a maximum diameter of 2,5 cm of <i>Robinia pseudoacacia</i> L. originating in Israel</p> <p>—up to seven-year-old plants for planting of <i>Robinia pseudoacacia</i> L. with a maximum diameter of 25 cm, originating in Turkey</p> <p>— up to 7-year-old non-grafted plants for planting of <i>Ligustrum ovalifolium</i> and <i>Ligustrum vulgare</i>, with a maximum diameter of 40 mm at the base of the stem, originating in the United Kingdom</p> <p>— up to 2-year-old bare-rooted, free of leaves, plants for planting of <i>Prunus armeniaca</i>, <i>Prunus avium</i>, <i>Prunus canescens</i>, <i>Prunus cerasifera</i>, <i>Prunus cerasus</i>, <i>Prunus davidiana</i>, <i>Prunus domestica</i>, <i>Prunus dulcis</i>, <i>Prunus fontanesiana</i>, <i>Prunus persica</i>, <i>Prunus salicina</i>, <i>Prunus tomentosa</i> and hybrids between the above species, with a maximum diameter of 17 mm at the base of the stem, originating in Moldova</p> <p>— bare-rooted, dormant, free of leaves plants for planting of <i>Prunus domestica</i> grafted on <i>Prunus cerasifera</i> rootstocks originating in Ukraine</p> <p>— up to 2-year-old dormant, free of leaves, unrooted cuttings of <i>Prunus persica</i> and <i>Prunus dulcis</i> originating in Türkiye</p> <p>— up to 2-year-old bare-rooted, dormant, free of leaves plants for planting of <i>Prunus persica</i>, <i>Prunus dulcis</i>,</p>		
--	--	--

<p><i>Prunus armeniaca</i> and <i>Prunus davidiana</i>, originating in Türkiye</p> <p>—plants for planting of <i>Tilia cordata</i> Land <i>Tilia platyphyllos</i> originating in the United Kingdom</p>		
<p>4. Following High Risk Plants (according to Commission Implementing Regulation (EU) 2018/2019 in conjunction with Article 42(1) Regulation (EU) 2016/2031): Plants and parts of plants of <i>Ullucus tuberosus</i></p>	<p>ex 0601 10 90, ex 0601 20 90 ex 0604 20 90 ex 0714 90 20 ex 1209 91 80 ex 1404 90 00</p>	<p>Third countries other than Liechtenstein and Switzerland</p>
<p>5. Plants of <i>Vitis</i> L. and parts of them, including seeds and leaves, other than fruit</p>	<p>0602 10 10 0602 20 10 ex 0604 20 90 ex 1404 90 00</p>	<p>Third countries other than Liechtenstein and Switzerland</p>
<p>6. Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf. and their hybrids and parts of them, including leaves, other than fruit and seeds</p>	<p>ex 0602 10 90 ex 0602 20 20 0602 20 30 ex 0602 20 80 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 ex 0604 20 90 ex 1404 90 00</p>	<p>Third countries other than Liechtenstein and Switzerland</p>
<p>7. Plants for planting of stolon- or tuber-forming species of <i>Solanum</i> L. and their hybrids, other than seed potatoes</p>	<p>ex 0601 10 90 ex 0601 20 90 ex 0602 90 50 ex 0602 90 70</p>	<p>Third countries other than Liechtenstein and Switzerland</p>



	ex 0602 90 91 ex 0602 90 99 ex 1209 91 80	
8. Plants and parts of them of <i>Abies</i> Mill., <i>Cedrus</i> Trew, <i>Chamaecyparis</i> Spach, <i>Juniperus</i> L., <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr. and <i>Tsuga</i> Carr., other than fruit and seeds	ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99 ex 0604 20 20 ex 0604 20 40	Third countries other than: Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Faeroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Turkey, Ukraine and United Kingdom (other than Northern Ireland)
9. Plants and parts of them with leaves of <i>Castanea</i> Mill. and <i>Quercus</i> L., other than fruit and seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99 ex 0604 20 90 ex 1404 90 00	
10. Plants of <i>Chaenomeles</i> Ldl., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L. and <i>Rosa</i> L. for planting, other than dormant plants without leaves, flowers and fruit	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 40 40 ex 0602 90 41	

	ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	
11. Plants for planting of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L. and <i>Pyrus</i> L. and their hybrids, and <i>Fragaria</i> L., other than seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 90 30 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Third countries, other than: Albania, Algeria, Andorra, Armenia, Australia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canada, Canary Islands, Egypt, Faeroe Islands, Georgia, Iceland, Israel, Jordan, Lebanon, Libya, Liechtenstein, Moldova, Monaco, Montenegro, Morocco, New Zealand, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino,

		Serbia, Switzerland, Syria, Tunisia, Turkey, Ukraine, United Kingdom (other than Northern Ireland) and United States (other than Hawaii)
12. Plants for planting of <i>Solanaceae</i> other than seeds and tubers of <i>Solanum tuberosum</i> and plants of stolon- or tuber-forming species of <i>Solanum</i> L. and their hybrids	ex 0602 90 30 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Third countries other than: Albania, Algeria, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Egypt, Faeroe Islands, Georgia, Iceland, Israel, Jordan, Lebanon, Libya, Liechtenstein, Moldova, Monaco, Montenegro, Morocco, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Syria, Tunisia, Turkey, Ukraine and United

		Kingdom (other than Northern Ireland)
13. Plants for planting of the family <i>Poaceae</i> , other than plants of ornamental perennial grasses of the subfamilies <i>Bambusoideae</i> and <i>Panicoideae</i> and of the genera <i>Buchloe</i> , <i>Bouteloua</i> Lag., <i>Calamagrostis</i> , <i>Cortaderia</i> Stapf., <i>Glyceria</i> R. Br., <i>Hakonechloa</i> Mak. ex Honda, <i>Hystrix</i> , <i>Molinia</i> , <i>Phalaris</i> L., <i>Shibataea</i> , <i>Spartina</i> Schreb., <i>Stipa</i> L. and <i>Uniola</i> L., other than seeds	ex 0602 90 50 ex 0602 90 91 ex 0602 90 99	Third countries other than: Albania, Algeria, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Egypt, Faeroe Islands, Georgia, Iceland, Israel, Jordan, Lebanon, Libya, Liechtenstein, Moldova, Monaco, Montenegro, Morocco, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Syria, Tunisia, Turkey, Ukraine and United Kingdom (other than Northern Ireland)
14. Plants for planting of <i>Photinia</i> Ldl., other than dormant plants free from leaves, flowers and fruits	ex 0602 10 90 ex 0602 90 41 ex 0602 90 45	China, Democratic People's Republic of Korea, Japan, Republic

	ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	of Korea and United States
15. Plants and parts of them of <i>Phoenix</i> spp., other than fruit and seeds	ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99 ex 0604 20 90 ex 1404 90 00	Algeria, Morocco
16. Plants and parts of them of <i>Populus</i> L., other than fruit and seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99 ex 0604 20 90 ex 1404 90 00	Canada, Mexico, USA
17. Plants and parts of them of <i>Aegle</i> , <i>Aeglopsis</i> , <i>Afraegle</i> , <i>Atalantia</i> ,	ex 0602 10 90	Third countries other than: Egypt, Israel,

<p><i>Balsamocitrus, Burkillanthus, Calodendrum, Choisyia, Clausena, Limonia, Microcitrus, Murraya, Pamburus, Severinia, Swinglea, Triphasia</i> and <i>Vepris</i>, including seeds, other than fruit</p>	<p>ex 0602 20 20 ex 0602 20 30 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 ex 0603 19 70 ex 0604 20 90 ex 1209 30 00 ex 1209 99 10 ex 1209 99 91 ex 1209 99 99 ex 1404 90 00</p>	<p>Liechtenstein, Morocco Marokko, Montenegro, Switzerland, Turkey und United Kingdom</p>
fruits		
<p>18. Following High Risk Plants (according to Commission Implementing Regulation (EU) 2018/2019 in conjunction with Article 42(1) Regulation (EU) 2016/2031):  Fruits of <i>Momordica</i> L., other than fruits of <i>Momordica charantia</i>, originating in Honduras, Mexico, Sri Lanka and Thailand</p>	<p>ex 0709 99 90</p>	<p>Third countries or areas of third countries where <i>Thrips palmi</i> Karny is known to occur and where effective mitigation measures for that pest are lacking (Source: <a href="https://gd.eppo.int/">https://gd.eppo.int/</a>)</p>
potatoes		
<p>19. Seed potatoes</p>	<p>0701 10 00</p>	<p>Third countries other than Liechtenstein and Switzerland</p>

<p>20. Table potatoes</p>	<p>ex 0601 10 90  ex 0601 20 90  0701 90 10  0701 90 50  0701 90 90</p>	<p>Third countries other than</p> <p>(a) Algeria, Egypt, Israel, Libya, Morocco, Syria, Switzerland, Tunisia and Turkey;</p> <p>or</p> <p>(b) those which fulfil the following:</p> <p>i) they are one of the following: Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Faeroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, and Ukraine and</p>
---------------------------	---	---

		<p>ii) they fulfill one of the following:</p> <p>they are recognized as being free from <i>Clavibacter sepedonicus</i> (Spieckermann and Kottho) Nouioui <i>et al.</i>, in accordance with the procedure referred to in Article 107 of Regulation (EU) No 2016/2031,</p> <p>or</p> <p>their legislation, is recognised as equivalent to the Union rules concerning protection against <i>Clavibacter sepedonicus</i> (Spieckermann and Kottho) Nouioui <i>et al.</i> in accordance with the procedure referred to in Article 107 of Regulation (EU) No 2016/2031 have been complied with.,</p> <p>or</p> <p>(c) the United Kingdom, provided the following condition is fulfilled: the submission by the United Kingdom to the Commission, by 28 February of each year, of survey results confirming that <i>Clavibacter sepedonicus</i> (Spieckermann and Kottho) Nouioui <i>et al.</i> has not been present</p>
--	--	---



		on its territory during the preceding year.
isolated bark		
21. Isolated bark of <i>Acer macrophyllum</i> , <i>Aesculus californica</i> , <i>Lithocarpus densiflorus</i> , <i>Quercus</i> and <i>Taxus brevifolia</i>	ex 1404 90 00 ex 4401 40 90	Canada, United Kingdom, United States and Vietnam
22. Isolated bark of <i>Castanea</i>	ex 1404 90 00 ex 4401 40 90	Third countries other than Liechtenstein and Switzerland
23. Isolated bark of <i>Quercus</i> L., other than <i>Quercus suber</i> L.	ex 1404 90 00 ex 4401 40 90	Mexico
24. Isolated bark of <i>Acer saccharum</i> .	ex 1404 90 00 ex 4401 40 90	Canada, Mexico, USA
25. Isolated bark of <i>Populus</i> L.	ex 1404 90 00 ex 4401 40 90	The Americas
soil and growing medium		
26. Soil as such consisting in part of solid organic substances	ex 2530 90 00 ex 3824 99 93	Third countries other than Liechtenstein and Switzerland
27. Soil as such consisting in part of solid organic substances and/or organic growing medium as such, other than composed entirely of peat or fibre of <i>Cocos nucifera</i> L., previously not used for growing of plants or for any agricultural purposes	ex 2530 10 00 ex 2530 90 00 ex 2703 00 00 ex 3101 00 00 ex 3824 99 93	Third countries other than Liechtenstein and Switzerland